

# Material Safety Data Sheet Melamine Edgebanding

#### 1. Product name:

Melamine Edgebanding

#### 2. Producer

TECE Dekor A.S.

Bursa Org. San. Bölgesi 75. Yil Bulvari No:12

Nilüfer/Bursa/ Turkey

Tel: +90 224 242 2100(pbx) Fax: +90 224 243 8525

#### 3. Hazardous Identification

- No harmful influence to the human health.
- Tece Décor melamine edgebanding's determination of formaldehyde emission  $\leq 3.5 \text{ mg} / (\text{h m}^2)$ .

#### 4. First Aid Measures

Inhalation: Not applied

Contact with skin: Not irritate, may cause mechanical abrasion

Contact with eyes: Not applied

Ingestion: Not applied

# Fire Fighting Measures

## Hazardous combustion products:

Combustion causes smoke containing carbon monoxide (CO).

#### Extinguishing Media

Carbon dioxide (CO2), powder, foam, water fog.

Flash point: not applicable

Fire and explosion hazards: not applicable

TECE DEKOR A.S. Bosb 75. Yil Bulvari No.12 Nilufer / Bursa / 16159 Turkey TEL: 0090 224 242 2100 Fax: 0090 224 243 8525 On the web: www.tece.com.tr Email: info@tece.com.tr



#### 6. Accidental Release Measures

Keep away from flammable sources.

**Environmental prevention:** Prevent discharge into the savage system or the immediate environment

Cleaning Method: If possible, it may reuse, or dispose in accordance to the laws

## 7. Handling And Storage

## Handling:

- Use appropriate gloves to cut
- Wear safety glass when using.
- Do not try to break with bare hand

#### Storage:

- Rolls are shrink-wrapped with plastic nylon
- Cool and dry in original packaging (approx.20°C, 55-65% air humidity) min. 6 months.
- Avoid storage in room having a high humidity level.
- Ensure proper ventilation. Air exhaust equipment is recommended.

## 8. Exposure Controls, Personal Protection

Work in the ventilated areas Wear safety glass when using

# 9. Physical - Mechanical Characteristics

*Color*. Due to the fact that sample and the actual product have been produced at different times, there will be slight color variation.

Color Fastness: All our products are printed with inks with woolscale of 6-

**Surface**: The smoothness of the surface is always measured by eye. Visual testing should be done by holding the product at least 60cm away from the spectator. The surface is resistant to abrasion and chemicals.

*Heat resistance test*: all products are tested to assure to have heat resistance with an iron of 170–180 c°.

Form :Solid

Solubility in water: not applicable

Boiling Point: not applicable

TECE DEKOR A.S. Bosb 75. YIL Bulvari No.12 Nilufer / Bursa / 16159 Turkey TEL: 0090 224 242 2100 Fax: 0090 224 243 8525 On the web: www.tece.com.tr Email: info@tece.com.tr



## 10. Stability and Reactivity

Under normal storage conditions, melamine edgebanding is stable and inert.

## 11. Toxicological Information

Not toxic at room temperature, when burning may cause irritation to eyes, nose, throat.

Melamine edgebanding's determination of formaldehyde emission  $\le 3.5$  mg / (h m<sup>2</sup>).

# 12. Ecological Information

Not biodegradable. Not soluble in water.

## 13. Disposal Considerations

Waste: To be landfill and disposed in conformity depend on local laws enforces

# 14. Transport Information

The material has no restriction. Not regulated.

# 15. Regulatory Information

Not European Community negative label.

#### 16. Other Information

The information contained on this page is currently advanced and experience based on the existing written so it should not be accredited for specific properties.